

d	D	B	TIPO	SKF/ADR	GRW	NMB	RMB
0,6	3	1	68/06				
1	3	1	681	AX 1	681	L 310	UL 103
1	3	1,5	MR 31			L 310 W 51	
1	4	1,6	691			R 410	
1,5	4	1,2	681 X	AX 1,5	68/1,5	L 415	UL 154
1,5	4	2	681 X ZZ	AX 1,5 ZZ	68/1,5 ZZ	L 415 ZZ	ULZ 154
1,5	5	2	691 X	619/1,5	69/1,5	R 515	R1550
1,5	5	2,6	691 X ZZ	619/1,5 ZZ	69/1,5 ZZ	R 515 ZZ	
1,5	6	2,5	601 X			R 615	
1,5	6	3	601 X ZZ			R 615 ZZ	
2	5	1,5	682	BX 2	682	L 520	UL 205
2	5	2,3	682 ZZ	BX 2 ZZ	682 ZZ	L 520 ZZ	UL Z 205
2	5	2	MR 52			L 520 W2	
2	5	2,5	MR 52 ZZ			L 520 ZZ W52	
2	6	2,3	692	619/2	692	R 620	R 2060
2	6	2,3	692 ZZ W 2,3	619/2 ZZ	692 ZZ	R 620 ZZ W32	
2	6	3	692 ZZ	AX2 ZZ		R 620 ZZ	
2	6	2,5	MR 62			R 620 W52	
2	6	2,5	MR 62 ZZ			R 620 ZZ Y52	
2	7	2,5	MR 72			R 720 Y 52	
2	7	3	MR 72 ZZ			R 720 ZZ Y03	
2	7	2,8	602			R 720	
2	7	2,8	602 ZZ W 2.8				
2	7	3,5	602 ZZ			R 720 ZZ	
2,5	6	1,8	682 X	AX 2,5	68/2,5	L 625	UL 256
2,5	6	2,6	682 X ZZ	AX 2,5 ZZ	68/2,5 ZZ	L 625 ZZ	ULZ 256
2,5	7	2,5	692 X	X 2,5	69/2,5	R 725	R 2570
2,5	7	3,5	692 X ZZ		69/2,5 ZZ	R 725 ZZ	
2,5	8	2,8	602 X	60/2,5	60/2,5	R 825	R 2580
2,5	8	2,8	602 X ZZ W 2,8	60/2,5 ZZ	60/2,5 ZZ	R 825 ZZ W82	
2,5	8	4	602 X ZZ			R 825 ZZ	
3	6	2	MR 63	617/3	673	L 630	UL 306
3	6	2,5	MR 63 ZZ	617/3 ZZ	673 ZZ	L 630 ZZ	ULZ 306
3	7	2	683	AX 3	683	L 730	UL 307
3	7	3	683 ZZ	AX 3 ZZ	683 ZZ	L 730 ZZ	ULZ 307
3	8	2,5	MR83	X 3	693/003	R 830Y52	
3	8	3	MR 83 ZZ	X 3 ZZ	693/002ZZ	R 830 ZZ Y 03	
3	8	3	693	619/3	693	R 830	R 3080
3	8	4	693 ZZ	639/3 ZZ	693ZZ	R 830 ZZ	RV 308
3	8	3,5	B 3 M	B 3			B 308
3	9	2,5	MR 93			R 930 Y 52	
3	9	4	MR 93 ZZ			R 930 ZZ Y 04	
3	9	3	603			R 930	
3	9	5	603ZZ			R 930 ZZ	
3	10	4	623	623	623	R 1030	R 3100
3	10	4	623 ZZ				
3	13	5	633				
3	13	5	633 ZZ				

d	D	B	TIPO	SKF/ADR	GRW	NMB	RMB
4	7	2	MR 74	617/4		L 740	UL 407
4	7	2,5	MR 74 ZZ	637/4 ZZ		L 740 ZZ	ULZ 407
4	8	2	MR 84			L 840	
4	8	3	MR 84 ZZ			L 840 ZZ	
4	9	2,5	684	618/4	684	L 940	UL 409
4	9	3,5	684 ZZ W 3,5	628/4 ZZ		L 940 ZZ Y 53	
4	9	4	684 ZZ	638/4 ZZ	684 ZZ	L 940 ZZ	ULZ 409
4	9	4	B 4-9 M				
4	10	3	MR 104	X 4		L 1040	
4	10	4	MR 104 ZZ	X 4 ZZ		L 1040 ZZ	
4	10	4	B 4 M	B4			B 410
4	11	4	694	619/4	694	R 1140	R 4110
4	11	4	694 ZZ	619/4 ZZ	694 ZZ	R 1140 ZZ	RV 411
4	12	4	604	604		R 1240	
4	12	4	604 ZZ	604 ZZ		R 1240 ZZ	
4	13	5	624	624	624	R 1340	R 4130
4	13	5	624ZZ	624ZZ	624 ZZ	R 1340 ZZ	
4	16	5	634	634	634	R 1640	R 4160
4	16	5	634ZZ	634ZZ	634 ZZ	R 1640 ZZ	RV 416

5	8	2	MR 85	617/5		L 850	UL 508
5	8	2,5	MR 85 ZZ	617/5ZZ		L 850 ZZ	ULZ 508
5	9	2,5	MR 95			L 950	
5	9	3	MR 95 ZZ			L 950 ZZ	
5	10	3	MR 105			L 1050	
5	10	4	MR 105 ZZ			L 1050 ZZ	
5	11	3	685	618/5	685	L 1150	UL 511
5	11	4	MR115 ZZ	628/5 ZZ	685/003 ZZ	L 1150 ZZ Y 04	
5	11	5	685 ZZ	638/5 ZZ	685 ZZ	L 1150 ZZ	ULZ 511
5	12	4	B 5 M	B 5			B 512
5	13	4	695	619/5	695	R 1350	R 5130
5	13	4	695 ZZ	619/5 ZZ	695 ZZ	R 1350 ZZ	RV 513
5	14	5	605			R 1450	
5	14	5	605 ZZ			R 1450 ZZ	
5	16	5	625	625	625	R 1650	R 5160
5	16	5	625 ZZ	625 ZZ	625 ZZ	R 1650 ZZ	RV 516
5	19	6	635	635	635		
5	19	6	635 ZZ	635 ZZ	635 ZZ		

6	10	2,5	MR 106	617/6		L 1060	UL 610
6	10	3	MR 106 ZZ	617/6 ZZ		L 1060 ZZ	ULZ 610
6	12	3	MR 126	X 6		L 1260	
6	12	4	MR 126 ZZ	X 6 ZZ		L 1260 ZZ	
6	13	3,5	686	618/6	686	L 1360	UL 613
6	13	4,5	686 ZZ W 4,5	AX 6 ZZ		L 1360 ZZ W54	
6	13	5	686 ZZ	628/6 ZZ	686 ZZ	L 1360 ZZ	ULZ 613
6	14	5	B 6 M	B 6			B 614
6	15	5	696	619/6	696	R 1560	R 6150
6	15	5	696 ZZ	619/6 ZZ	696 ZZ	R 1560 ZZ	RV 615
6	16	5	696 A ZZ		625/0002ZZ		
6	17	6	606			R 1760	
6	17	6	606 ZZ			R 1760 ZZ	
6	19	6	626	626	626	R 1960	R 6190
6	19	6	626 ZZ	626 ZZ	626 ZZ	R 1960 ZZ	RV 619
6	22	7	636	636	636		
6	22	7	636 ZZ	636 ZZ	636 ZZ		

d	D	B	TIPO	SKF/ADR	GRW	NMB	RMB
7	11	2,5	MR 117	617/7		L 1170	UL 711
7	11	3	MR 117 ZZ	617/7 ZZ		L 1170 ZZ	ULZ 711
7	13	3	MR 137			L 1370	
7	13	4	MR 137 ZZ			L 1370 ZZ	
7	14	3,5	687	618/7	687	L 1470	UL 714
7	14	4	687 ZZ W 4	X 7 ZZ			
7	14	5	687 ZZ	628/7 ZZ	687 ZZ	L 1470 ZZ	ULZ 714
7	17	5	697	619/7	697	L 1770	
7	17	5	697 ZZ	619/7 ZZ	697 ZZ	L 1770 ZZ	
7	17	6	B 7 M	B 7			B 717
7	19	6	607	607	607	R 1970	R 7190
7	19	6	607 ZZ	607 ZZ	607 ZZ	R 1970 ZZ	RV 719
7	22	7	627	627	627	R 2270	R 7220
7	22	7	627 ZZ	627 ZZ	627 ZZ	R 2270 ZZ	RV 722
7	26	9	637				
7	26	9	637 ZZ				

8	12	2,5	MR 128	617/8		L 1280	UL 812
8	12	3,5	MR 128 ZZ	637/8 ZZ		L 1280 ZZ	
8	14	3,5	MR 148			L 1480	
8	14	4	MR 148 ZZ		688A/142ZZ	L 1480 ZZ	
8	16	4	688	618/8	688	L 1680	UL 816
8	16	5	688 ZZ	628/8 ZZ	688/003 ZZ	L 1680 ZZ	ULZT 816
8	16	6	688 ZZ W 6	638/8 ZZ	688ZZ	L 1680 Y05	
8	19	6	698	619/8	698	L 1980	
8	19	6	698 ZZ	619/8 ZZ	698 ZZ	L 1980 ZZ	
8	19	7	B 8M	B 8			B 819
8	22	7	608	608		R 2280	R 8220
8	22	7	608 ZZ	608 ZZ		R 2280 ZZ	RV 822
8	24	8	628				
8	24	8	628 ZZ				
8	28	9	638				
8	28	9	638 ZZ				

9	14	3	679			L 1490	
9	14	4,5	679 ZZ			L 1490 ZZ	
9	17	4	689	618/9	689	L 1790	UL 917
9	17	5	689 ZZ	628/9 ZZ	689 ZZ	L 1790 ZZ	ULZT 917
9	20	6	699	619/9	699	L 2090	
9	20	6	699 ZZ	619/9 ZZ	699 ZZ	L 2090 ZZ	
9	20	7	B 9 M	B 9			B 920
9	24	7	609	609	609	R 2490	
9	24	7	609 ZZ	609 ZZ	609 ZZ	R 2490 ZZ	
9	26	8	629	629	629	R 2690	
9	26	8	629 ZZ	629 ZZ	629 ZZ	R 2690 ZZ	
9	30	10	639				
9	30	10	639 ZZ				

d	D	B	TIPO	SKF/ADR	GRW	NMB	KOYO
10	15	3	61700	61700			6700
10	15	4	61700 ZZ-2RS	61700 ZZ			6700 ZZ
10	18	5,5	B 10 M	B 10			F 10
10	19	5	61800	61800	6800	L 1910	6800
10	19	5	61800 ZZ-2RS	61800 ZZ	6800/002ZZ	L 1910 ZZ Y 05	6800 ZZ
10	19	7	63800 ZZ-2RS		6800 ZZ	L 1910 ZZ	63800 ZZ
10	22	6	61900	61900	6900	L 2210	6900
10	22	6	61900 ZZ-2RS	61900 ZZ	6900 ZZ	L 2210 ZZ	6900 ZZ
10	28	8	16100	16100			
10	28	8	16100 ZZ	16100 ZZ			
12	18	4	61701	61701			6701
12	18	4	61701 ZZ-2RS	61701 ZZ			6701 ZZ
12	21	5	61801	61801		L 2112	6801
12	21	5	61801 ZZ-2RS	61801 ZZ		L 2112 ZZ	6801 ZZ
12	21	7	63801 ZZ-2RS				63801 ZZ
12	24	6	61901	61901		L 2412	6901
12	24	6	61901 ZZ-2RS	61901 ZZ		L 2412 ZZ	6901 ZZ
12	30	8	16101	16101			
12	30	8	16101 ZZ	16101 ZZ			
13	24	6	AY 13 TNH				
14	25	6	AY 14 TNH				
15	21	4	61702	61702			6702
15	21	4	61702 ZZ-2RS	61702 ZZ			6702 ZZ
15	24	5	61802	61802			6802
15	24	5	61802 ZZ-2RS	61802 ZZ			6802 ZZ
15	24	7	63802 ZZ-2RS				63802 ZZ
15	28	7	61902	61902			6902
15	28	7	61902 ZZ-2RS	61902 ZZ			6902 ZZ
17	23	4	61703	61703			6703
17	23	4	61703 ZZ-2RS	61703 ZZ			6703 ZZ
17	26	5	61803	61803			6803
17	26	5	61803 ZZ-2RS	61803 ZZ			6803 ZZ
17	26	7	63803 ZZ-2RS				63803 ZZ
17	30	7	61903	61903			6903
17	30	7	61903 ZZ-2RS	61903 ZZ			6903 ZZ
17	32	8	Y 17	Y 17			
17	32	8	Y 17 ZZ	Y 17 ZZ			
20	27	4	61704	61704			6704
20	27	4	61704 ZZ-2RS	61704 ZZ			6704 ZZ
20	32	7	61804	61804			6804
20	32	7	61804 ZZ-2RS	61804 ZZ			6804 ZZ
20	32	10	63804 ZZ-2RS				63804 ZZ
20	37	9	61904	61904			6904
20	37	9	61904 ZZ-2RS	61904 ZZ			6904 ZZ

d	D	B	TIPO	SKF/ADR	GRW	NMB	KOYO
25	32	4	61705	61705			6705
25	32	4	61705 ZZ	61705 ZZ			6705 ZZ
25	37	7	61805	61805			6805
25	37	7	61805 ZZ	61805 ZZ			6805 ZZ
25	37	10	613805 ZZ				63805 ZZ
25	42	9	61905	61905			6905
25	42	9	61905 ZZ	61905 ZZ			6905 ZZ
30	37	4	61706	61706			6706
30	37	4	61706 ZZ	61706 ZZ			6706 ZZ
30	42	7	61806	61806			6806
30	42	7	61806 ZZ	61806 ZZ			6806 ZZ
30	42	10	613806 ZZ				63806 ZZ
30	47	9	61906	61906			6906
30	47	9	61906 ZZ	61906 ZZ			6906 ZZ
35	44	5	61707	61707			6707
30	44	5	61707 ZZ	61707 ZZ			6707 ZZ
35	47	7	61807	61807			6807
35	47	7	61807 ZZ	61807 ZZ			6807 ZZ
35	55	10	61907	61907			6907
35	55	10	61907 ZZ	61907 ZZ			6907 ZZ
40	50	6	61708	61708			6708
40	50	6	61708 ZZ	61708 ZZ			6708 ZZ
40	52	7	61808	61808			6808
40	52	7	61808 ZZ	61808 ZZ			6808 ZZ
40	62	12	61908	61908			6908
40	62	12	61908 ZZ	61908 ZZ			6908 ZZ
45	55	6	61709	61709			6709
45	55	6	61709 ZZ	61709 ZZ			6709 ZZ
45	58	7	61809	61809			6809
45	58	7	61809 ZZ	61809 ZZ			6809 ZZ
45	68	12	61909	61909			6909
45	68	12	61909 ZZ	61909 ZZ			6909 ZZ
50	62	6	61710	61710			6710
50	62	6	61710 ZZ	61710 ZZ			6710 ZZ
50	65	7	61810	61810			6810
50	65	7	61810 ZZ	61810 ZZ			6810 ZZ
50	72	12	61910	61910			6910
50	72	12	61910 ZZ	61910 ZZ			6910 ZZ

Microcuscinetti flangiati / Flanged bearings

d	D	Df	B	TIPO	SKF/ADR	GRW	NMB
1	3	3,8	1	F681	FAX 1	F681	LF 310
1	4	5	1,6	F691			RF 410
1,5	4	5	1,2	F681 X	FAX 1,5	F68/1,5	LF 415
1,5	4	5	2	F681 X ZZ	FAX 1,5 ZZ	F68/1,5 ZZ	LF 415 ZZ
1,5	5	6,5	2	F691 X	FAX 1,5 ZZ	F69/1,5	RF 515
1,5	5	6,5	2,6	F691 X ZZ	F619/1,5 ZZ	F69/1,5 ZZ	RF 515 ZZ
1,5	6	7,5	2,5	F601 X			RF 615
1,5	6	7,5	3	F601 X ZZ			RF 615 ZZ
2	5	6,1	1,5	F682	FBX 2	F682	LF 520
2	5	6,1	2,3	F682 ZZ	FBX 2 ZZ	F682 ZZ	LF 520 ZZ
2	5	6,2	2	MF 52			LF 520 W 52
2	5	6,2	2,5	MF 52 ZZ			LF 520 ZZ W 52
2	6	7,5	2,3	F692		F692	RF 620
2	6	7,5	2,3	F692 ZZ W 2,3		F692 ZZ	RF 620 ZZ W 32
2	6	7,5	3	F692 ZZ		F692ZZ	RF 620 ZZ
2	6	7,2	2,5	MF 62			RF 620 W 52
2	7	8,2	2,5	MF 72			RF 720 Y 52
2	7	8,2	3	MF 72 ZZ			RF 720 ZZ Y 03
2	7	8,5	2,8	F602			RF 720
2	7	8,5	2,8	F602 ZZ S2.8			
2	7	8,5	3,5	F602 ZZ			RF 720 ZZ
2,5	6	7,1	1,8	F682 X	FAX 2,5	F68/2,5	LF 625
2,5	6	7,1	2,6	F682 X ZZ	FAX 2,5 ZZ	F68/2,5 ZZ	LF 625 ZZ
2,5	7	8,5	2,5	F692 X		F69/2,5	RF 725
2,5	7	8,5	3,5	F692 X ZZ		F69/2,5 ZZ	RF 725 ZZ
2,5	8	9,5	2,8	F602 X		F60/2,5	RF 825
2,5	8	9,5	2,8	F602 X ZZ W 2,8		F60/2,5 ZZ	RF 825 ZZ W82
2,5	8	9,5	4	F602 X ZZ			RF 825 ZZ
3	6	7,2	2	MF 63	F617/3	F673	LF 630
3	6	7,2	2,5	MF 63 ZZ	F617/3 ZZ	F673 ZZ	LF 630 ZZ
3	7	8,1	2	F683	FAX 3	F683	LF 730
3	7	8,1	3	F683 ZZ	FAX 3 ZZ	F683 ZZ	LF 730 ZZ
3	8	9,2	2,5	MF 83	FX 3	F693/003	RF 830 Y 52
3	8	9,5	3	F693	F619/3	F693	RF 830
3	8	9,2	3	MF 83 ZZ	FX 3 ZZ	F693/002ZZ	RF 830 Y 03
3	8	9,5	4	F693 ZZ	F639/3 ZZ	F693 ZZ	RF 830 ZZ
3	9	10,2	2,5	MF 93			RF 930 Y 52
3	9	10,2	4	MF 93 ZZ			RF 930 ZZ Y 04
3	9	10,5	3	F603			RF 930
3	9	10,5	5	F603 ZZ			RF 930 ZZ
3	10	11,5	4	F623 ZZ	F623 ZZ	F623 ZZ	RF 1030 ZZ
3	13	11,5	5	F633 ZZ			

Microcuscinetti flangiati / Flanged bearings

d	D	Df	B	TIPO	SKF/ADR	GRW	NMB
4	7	8,2	2	MF 74	F617/4		LF 740
4	7	8,2	2,5	MF 74 ZZ	F637/4 ZZ		LF 740 ZZ
4	8	9,2	2	MF 84			LF 840
4	8	9,2	3	MF 84 ZZ			LF 840 ZZ
4	9	10,3	2,5	F684	F618/8	F684	LF 940
4	9	10,3	3,5	F684 ZZ W 3,5	F618/9		LF 940 ZZ Y 3,5
4	9	10,3	4	F684 ZZ	F618/10	F684 ZZ	LF 940 ZZ
4	10	11,2	3	MF 104	F618/11		LF 1040
4	10	11,2	4	MF 104 ZZ	F618/12		LF 1040 ZZ
4	11	12,5	4	F694	F618/13	F694	RF 1140
4	11	12,5	4	F694 ZZ	F618/14	F694 ZZ	RF 1140 ZZ
4	12	13,5	4	F604			RF 1240
4	12	13,5	4	F604 ZZ			RF 1240 ZZ
4	13	15	5	F624	F624	624	RF 1340
4	13	15	5	F624ZZ	F624ZZ	F624 ZZ	RF 1340 ZZ
4	16	18	5	F634	F634	F634	RF 1640
4	16	18	5	F634ZZ	F634ZZ	F634 ZZ	RF 1640 ZZ
5	8	9,2	2	MF 85			LF 850
5	8	9,2	2,5	MF 85 ZZ			LF 850 ZZ
5	9	10,2	2,5	MF 95			LF 950
5	9	10,2	3	MF 95 ZZ			LF 950 ZZ
5	10	11,2	3	MF 105			LF 1050
5	10	11,2	4	MF 105 ZZ			LF 1050 ZZ
5	11	12,5	3	F685	F618/5	F685	LF 1150
5	11	12,5	4	MF115 ZZ	F628/5 ZZ	F685/003 ZZ	LF1150 ZZ W 4
5	11	12,5	5	F685 ZZ	F638/5 ZZ	F685 ZZ	LF 1150 ZZ
5	13	15	4	F695	F619/5	F695	RF 1350
5	13	15	4	F695 ZZ	F619/5 ZZ	F695 ZZ	RF 1350 ZZ
5	14	16	5	F605			RF 1450
5	14	16	5	F605 ZZ			RF 1450 ZZ
5	16	18	5	F625	F625	F625	RF 1650
5	16	18	5	F625 ZZ	F625 ZZ	F625 ZZ	RF 1650 ZZ
5	19	22	6	F635	F635	F635	RF 1950
5	19	22	6	F635 ZZ	F635 ZZ	F635 ZZ	RF 1950 ZZ
6	10	11,2	2,5	MF 106			LF 1060
6	10	11,2	3	MF 106 ZZ			LF 1060 ZZ
6	12	13,2	3	MF 126			LF 1260
6	12	13,2	4	MF 126 ZZ			LF 1260 ZZ
6	13	15	3,5	F686	F686	F686 ZZ	LF 1360
6	13	15	4,5	F686 ZZ W 4,5	F686		LF 1360 ZZ W54
6	13	15	5	F686 ZZ		F686 ZZ	LF 1360 ZZ
6	15	17	5	F696		F696	RF 1560
6	15	17	5	F696 ZZ		F696 ZZ	RF 1560 ZZ
6	17	19	6	F606			RF 1760
6	17	19	6	F606 ZZ			RF 1760 ZZ
6	19	22	6	F626	F686	F626	RF 1960
6	19	22	6	F626 ZZ	F626 ZZ	F626 ZZ	RF 1960 ZZ

Microcuscinetti flangiati / Flanged bearings

d	D	Df	B	TIPO	SKF/ADR	GRW	NMB
7	11	12,2	2,5	MF 117	F617/7		LF 1170
7	11	12,2	3	MF 117 ZZ	F617/7 ZZ		LF 1170 ZZ
7	13	14,2	3	MF 137			LF 1370
7	13	14,2	4	MF 137 ZZ			LF 1370 ZZ
7	14	16	3,5	F687	F618/7	F687	LF 1470
7	14	16	5	F687 ZZ	F628/7 ZZ	F687 ZZ	LF 1470 ZZ
7	17	19	5	F697	F619/7	F697	LF 1770
7	17	19	5	F697 ZZ	F619/7 ZZ	F697 ZZ	LF 1770 ZZ
7	19	22	6	F607	F607	F607	RF 1970
7	19	22	6	F607 ZZ	F607 ZZ	F607 ZZ	RF 1970 ZZ
7	22	25	7	F627	F627	F627	RF 2270
7	22	25	7	F627 ZZ	F627 ZZ	F627 ZZ	RF 2270 ZZ
8	12	13,2	2,5	MF 128	F637/8		LF 1280
8	12	13,2	3,5	MF 128 ZZ	F637/8 ZZ		LF 1280 ZZ
8	14	15,6	3,5	MF 148			LF 1480
8	14	15,6	4	MF 148 ZZ		F688A/142ZZ	LF 1480 ZZ
8	16	18	4	F688	F618/8	F688	LF 1680
8	16	18	5	F688 ZZ	F628/8 ZZ	F688/003 ZZ	LF 1680 ZZ
8	16	18	6	F688 ZZ W 6	F638/8 ZZ	F688ZZ	LF 1680 Y05
8	19	22	6	F698	F619/8	F698	LF 1980
8	19	22	6	F698 ZZ	F619/8 ZZ	F698 ZZ	LF 1980 ZZ
8	22	25	7	F608	F608		RF 2280
8	22	25	7	F608 ZZ	F608 ZZ		RF 2280 ZZ
9	17	19	4	F689	F618/9	F689	LF 1790
9	17	19	5	F689 ZZ	F628/9 ZZ	F689 ZZ	LF 1790 ZZ
9	20	23	6	F699	F619/9	F699	LF 2090
9	20	23	6	F699 ZZ	F619/9 ZZ	F699 ZZ	LF 2090 ZZ
9	24	27	7	F609	F609	F609	RF 2490
9	24	27	7	F609 ZZ	F609 ZZ	F609 ZZ	RF 2490 ZZ

Microcuscinetti flangiati / Flanged bearings

d	D	Df	B	TIPO	SKF/ADR	GRW	NMB
10	15	16,5	3	F61700	F61700		
10	15	16,5	4	F61700 ZZ	F61700 ZZ		
10	19	21	5	F61800	F61800	F6800	LF 1910
10	19	21	5	F61800 ZZ	F61800 ZZ	F6800/002ZZ	LF 1910 ZZ Y 05
10	19	21	7	F63800 ZZ		F6800 ZZ	LF 1910 ZZ
10	22	25	6	F61900	F61900	F6900	LF 2210
10	22	25	6	F61900 ZZ	F61900 ZZ	F6900 ZZ	LF 2210 ZZ

12	18	19,5	4	F61701	F61701		
12	18	19,5	4	F61701 ZZ	F61701 ZZ		
12	21	23	5	F61801	F61801		LF 2112
12	21	23	5	F61801 ZZ	F61801 ZZ		LF 2112 ZZ
12	21	23	7	F63801 ZZ			
12	24	26,5	6	F61901	F61901		LF 2412
12	24	26,5	6	F61901 ZZ	F61901 ZZ		LF 2412 ZZ

d	D	Df	B	TIPO	SKF/ADR	KOYO
15	21	22,5	4	F61702	F61702	F6702
15	21	22,5	4	F61702 ZZ	F61702 ZZ	F6702 ZZ
15	24	26	5	F61802	F61802	F6802
15	24	26	5	F61802 ZZ	F61802 ZZ	F6802 ZZ
15	24	26	7	F63802 ZZ		F63802 ZZ
15	28	30,5	7	F61902	F61902	F6902
15	28	30,5	7	F61902 ZZ	F61902 ZZ	F6902 ZZ

17	23	24,5	4	F61703	F61703	F6703
17	23	24,5	4	F61703 ZZ	F61703 ZZ	F6703 ZZ
17	26	28	5	F61803	F61803	F6803
17	26	28	5	F61803 ZZ	F61803 ZZ	F6803 ZZ
17	26	28	7	F63803 ZZ		F63803 ZZ
17	30	32,5	7	F61903	F61903	F6903
17	30	32,5	7	F61903 ZZ	F61903 ZZ	F6903 ZZ

20	27	28,5	4	F61704	F61704	F6704
20	27	28,5	4	F61704 ZZ	F61704 ZZ	F6704 ZZ
20	32	35	7	F61804	F61804	F6804
20	32	35	7	F61804 ZZ	F61804 ZZ	F6804 ZZ
20	32	35	10	F63804 ZZ		F63804 ZZ
20	37	40	9	F61904	F61904	F6904
20	37	40	9	F61904 ZZ	F61904 ZZ	F6904 ZZ

Microcuscinetti flangiati / Flanged bearings

d	D	Df	B	TIPO	SKF/ADR	KOYO
25	32	34	4	F61705	F61705	F6705
25	32	34	4	F61705 ZZ	F61705 ZZ	F6705 ZZ
25	37	40	7	F61805	F61805	F6805
25	37	40	7	F61805 ZZ	F61805 ZZ	F6805 ZZ
25	37	40	10	F63805 ZZ		F63805 ZZ
25	42	45	9	F61905	F61905	F6905
25	42	45	9	F61905 ZZ	F61905 ZZ	F6905 ZZ
30	37	39	4	F61706	F61706	F6706
30	37	39	4	F61706 ZZ	F61706 ZZ	F6706 ZZ
30	42	45	7	F61806	F61806	F6806
30	42	45	7	F61806 ZZ	F61806 ZZ	F6806 ZZ
30	42	45	10	F63806 ZZ		F63806 ZZ
30	47	50	9	F61906	F61906	F6906
30	47	50	9	F61906 ZZ	F61906 ZZ	F6906 ZZ
35	47	50	7	F61807	F61807	F6807
35	47	50	7	F61807ZZ	F61807ZZ	F6807ZZ
35	55	58	10	F61907	F61907	F6907
35	55	58	10	F61907 ZZ	F61907 ZZ	F6907 ZZ
40	52	55	7	F61808	F61808	F6808
40	52	55	7	F61808 ZZ	F61808 ZZ	F6808 ZZ
40	62	65	12	F61908	F61908	F6908
40	62	65	12	F61908 ZZ	F61908 ZZ	F6908 ZZ
45	58	61	7	F61809	F61809	F6809
45	58	61	7	F61809 ZZ	F61809 ZZ	F6809 ZZ
45	68	71	12	F61909	F61909	F6909
45	68	71	12	F61909 ZZ	F61909 ZZ	F6909 ZZ
50	65	68	7	F61810	F61810	F6810
50	65	68	7	F61810 ZZ	F61810 ZZ	F6810 ZZ
50	72	75	12	F61910	F61910	F6910
50	72	75	12	F61910 ZZ	F61910 ZZ	F6910 ZZ

Microcuscinetti in pollici / Inch bearings

foro interno		esterno D		spessore B		TIPO	SKF	GRW	NMB	RMB
inch	mm	inch	mm	inch	mm					
0,0550	1,397	0,1875	4,762	0,0781	1,984	R1	R1	1397	RI-3	R1706
		0,1875	4,762	0,1094	2,779	R1 ZZ	R1ZZ	1397ZZ	RI-3ZZ	RF1706
0,0781	1,984	0,2500	6,350	0,0937	2,380	R1-4	X 5/64	5/64	RI-4	R2508
		0,2500	6,350	0,1406	3,571	R1-4 ZZ	X 5/64ZZ	5/64ZZ	RI-4ZZ	RF2508
0,0937	2,380	0,1875	4,762	0,0625	1,588	R133	AX3/32	2380	RI-3332	UL3006
		0,1875	4,762	0,0937	2,380	R133 ZZ	AX3/32ZZ	2380ZZ	RI-3332ZZ	ULZ3006
		0,3125	7,938	0,1094	2,779	R1-5	X3/32	3/32	RI-5	R3010
		0,3125	7,938	0,1406	3,571	R1-5 ZZ	X3/32ZZ	3/32ZZ	RI-5ZZ	RF3010
0,1250	3,175	0,2500	6,350	0,0937	2,380	R144	AX1/8	3175	RI-418	UL4008
		0,2500	6,350	0,1094	2,779	R144 ZZ	AX1/8ZZ	3175ZZ	RI-418ZZ	ULZ4008
		0,3125	7,938	0,1094	2,779	R2-5	X1/8	1/8A	RI-518	R4010
		0,3125	7,938	0,1406	3,571	R2-5 ZZ	X1/8ZZ	1/8AZZ	RI-518ZZ	RF4010
		0,3750	9,525	0,1094	2,779	R2-6			RI-618	
		0,3750	9,525	0,1406	3,571	R2-6 ZZ			RI-618ZZ	
		0,3750	9,525	0,1562	3,967	R2	R2	1/8B	R-2	R4012
		0,3750	9,525	0,1562	3,967	R2 ZZ	R2ZZ	1/8BZZ	R-2ZZ	RF40102
		0,5000	12,700	0,1719	4,366	R2 A	R2A			
0,5000	12,700	0,1719	4,366	R2 A ZZ	R2AZZ					
0,1562	3,967	0,3125	7,938	0,1094	2,779	R155	X5/32	3967	RI5532	UL5010
		0,3125	7,938	0,1250	3,175	R155 ZZ	X5/32ZZ	3967ZZ	RI5532ZZ	ULZ5010
0,1875	4,762	0,3125	7,938	0,1094	2,779	R156	AX3/16	4763A	RI-5632	UL6010
		0,3125	7,938	0,1250	3,175	R156 ZZ	AX3/16ZZ	4763AZZ	RI-5632ZZ	ULZ6010
		0,3750	9,525	0,1250	3,175	R166	X3/16	4763B	RI-6632	UL6012
		0,3750	9,525	0,1250	3,175	R166 ZZ	X3/16ZZ	4763BZZ	RI-6632ZZ	ULZ6012
		0,5000	12,700	0,1562	3,967	R3	Y3/16	3/16B	R-3	R6016
		0,5000	12,700	0,1960	4,978	R3 ZZ	Y3/16ZZ	3/16BZZ	R-3ZZ	RF6016
		0,6250	15,875	0,1960	4,978	R3 A				
		0,6250	15,875	0,1960	4,978	R3 A ZZ				
0,2500	6,350	0,3750	9,525	0,1250	3,175	R168	X1/4	6350A	RI-614	UL8012
		0,3750	9,525	0,1250	3,175	R168 ZZ	X1/4ZZ	6350AZZ	RI-614ZZ	ULZ8012
		0,5000	12,700	0,1250	3,175	R188	R188	6350B	RI-814	UL8016
		0,5000	12,700	0,1875	4,762	R188 ZZ	R188ZZ	6350BZZ	RI-814ZZ	ULZ8016
		0,6250	15,875	0,1960	4,978	R4	Y1/4	1/4A	R-4	R8020
		0,6250	15,875	0,1960	4,978	R4 ZZ	Y1/4ZZ	1/4AZZ	R-4ZZ	RF8020
		0,7500	19,050	0,2188	5,558	R4 A	R4A	1/4	RI-1214	
		0,7500	19,050	0,2812	7,142	R4 A ZZ	R4AZZ	1/4ZZ	RI-1214ZZ	
0,3125	7,938	0,5000	12,700	0,1562	3,967	R1810		7938	RI-8516	UL10016
		0,5000	12,700	0,1562	3,967	R1810 ZZ		7938ZZ	RI-8516ZZ	ULZ10016
0,3750	9,525	0,8750	22,225	0,2188	5,558	R6	Y3/8	3/8	RI-1438	R12028
		0,8750	22,225	0,2812	7,142	R6 ZZ	Y3/8ZZ	3/8ZZ	RI-1438ZZ	RZ12028
0,5000	12,700	1,1250	28,575	0,2500	6,350	R8				
		1,1250	28,575	0,3125	7,938	R8ZZ				
0,6250	15,875	1,3750	34,925	0,2812	7,142	R10				
		1,3750	34,925	0,3438	8,733	R10 ZZ				
0,7500	19,050	1,6250	41,275	0,3125	7,938	R12				
		1,6250	41,275	0,4375	11,113	R12 ZZ				

Microcuscinetti flangiati in pollici / Flanged inch bearings

foro interno		esterno D		esterno Df		spessore B		TIPO	SKF	GRW
inch	mm	inch	mm	inch	mm	inch	mm			
0,0550	1,397	0,1875	4,762	0,2340	5,944	0,0781	1,984	FR1	FR1	F1397
		0,1875	4,762	0,2340	5,944	0,1094	2,779	FR1 ZZ	FR1ZZ	F1397 ZZ
0,0781	1,984	0,2500	6,350	0,2960	7,518	0,0937	2,380	FR1-4	FX5/64	F5/64
		0,2500	6,350	0,2960	7,518	0,1406	3,571	FR1-4 ZZ	FX5/64ZZ	F5/64ZZ
0,0937	2,380	0,1875	4,762	0,2340	5,944	0,0625	1,588	FR133	FAX3/32	F2380
		0,1875	4,762	0,2340	5,944	0,0937	2,380	FR133 ZZ	FAX3/32ZZ	F2380ZZ
		0,3125	7,938	0,3590	9,119	0,1094	2,779	FR1-5	FX3/32	F3/32
		0,3125	7,938	0,3590	9,119	0,1406	3,571	FR1-5 ZZ	FX3/32ZZ	F3/32ZZ
0,1250	3,175	0,2500	6,350	0,2960	7,518	0,0937	2,380	FR144	FAX1/8	F3175
		0,2500	6,350	0,2960	7,518	0,1094	2,779	FR144 ZZ	FAX1/8ZZ	F3175ZZ
		0,3125	7,938	0,3590	9,119	0,1094	2,779	FR2-5	FX1/8	F1/8A
		0,3125	7,938	0,3590	9,119	0,1406	3,571	FR2--5 ZZ	FX1/8ZZ	F1/8AZZ
		0,3750	9,525	0,4220	10,719	0,1094	2,779	FR2-6		
		0,3750	9,525	0,4220	10,719	0,1406	3,571	FR2-6 ZZ		
		0,3750	9,525	0,4400	11,176	0,1562	3,967	FR2	FR2	F1/8B
		0,3750	9,525	0,4400	11,176	0,1562	3,967	FR2 ZZ	FR2ZZ	F1/8BZZ
0,1562	3,967	0,3125	7,938	0,3590	9,119	0,1094	2,779	FR155	FX5/32	F3967
		0,3125	7,938	0,3590	9,119	0,1250	3,175	FR155 ZZ	FX5/32ZZ	F3967ZZ
0,1875	4,762	0,3125	7,938	0,3590	9,119	0,1094	2,779	FR156	FAX3/16	F4763A
		0,3125	7,938	0,3590	9,119	0,1250	3,175	FR156 ZZ	FAX3/16ZZ	F4763AZZ
		0,3750	9,525	0,4220	10,719	0,1250	3,175	FR166	FX3/16	F4763B
		0,3750	9,525	0,4220	10,719	0,1250	3,175	FR166 ZZ	FX3/16ZZ	F4763BZZ
		0,5000	12,700	0,5650	14,351	0,1960	4,978	FR3	FY3/16	F3/16B
		0,5000	12,700	0,5650	14,351	0,1960	4,978	FR3 ZZ	FY3/16ZZ	F3/16BZZ
0,2500	6,350	0,3750	9,525	0,4220	10,719	0,1250	3,175	FR168	FX1/4	F6350A
		0,3750	9,525	0,4220	10,719	0,1250	3,175	FR168 ZZ	FX1/4ZZ	F6350AZZ
		0,5000	12,700	0,5470	13,894	0,1250	3,175	FR188	FR188	F6350B
		0,5000	12,700	0,5470	13,894	0,1875	4,762	FR188 ZZ	FR188 ZZ	F6350BZZ
		0,6250	15,875	0,6900	17,526	0,1960	4,978	FR4	FY1/4	F1/4A
		0,6250	15,875	0,6900	17,526	0,1960	4,978	FR4 ZZ	FY1/4ZZ	F1/4AZZ
0,3125	7,938	0,5000	12,700	0,5470	13,894	0,1562	3,967	FR1810		F7938
		0,5000	12,700	0,5470	13,894	0,1562	3,967	FR1810 ZZ		F7938ZZ
0,3750	9,525	0,8750	22,225	0,9690	24,613	0,2188	5,558	FR6	FY3/8	F3/8
		0,8750	22,225	0,9690	24,613	0,2812	7,142	FR6 ZZ	FY3/8ZZ	F3/8ZZ
0,5000	12,700	1,1250	28,575	1,2252	31,120	0,2500	6,350	FR8		
		1,1250	28,575	1,2252	31,120	0,3125	7,938	FR8ZZ		